

PIMPRI CHINCHWAD MUNICIPAL CORPORATION PIMPRI 41101

A ward Electrical Department

विषय :- अ प्रभागातील निगडी येथील नवीन ग.दि.माडगूळकर नाट्यगृहा मधील स्टेज लाईट आणि साऊंड सिस्टिमचे वार्षिक चालन देखभाल व इतर आवश्यक बाबीचे दरपृथक्करण करणे कामी दरपत्रक मनपा वेबसाइटवरून मागविण्याबाबत.

कोटेशन नोटीस - AZ/ELE/QT/ 5 | /2024 Date: 25/01/2024

अ प्रभागातील निगडी येथील नवीन ग.दि.माडगूळकर नाट्यगृहा मध्ये विविध नाटक,सांस्कृतिक कार्यक्रमाकरिता मुख्य सभागृह आणि मिनी सभागृह येथे अत्याधुनिक एल.ई.डी. स्टेज लाईट आणि साऊंड सिस्टिम बसविण्यात आलेली आहे. सदर एल.ई.डी. स्टेज लाईट आणि साऊंड सिस्टिम अविरतपणे कार्यान्वित राहिल्याकरिता वार्षिक चालन देखभाल दुरुस्ती करणे आवश्यक आहे. त्या अनुषंगाने इकडील विभागामार्फत सदर एल.ई.डी. स्टेज लाईट आणि साऊंड सिस्टिम चालन वार्षिक देखभाल व इतर आवश्यक विद्युत विषयक कामाचे अंदाजपत्रक बनविताना काही आवश्यक बाबींचा सन 2022-23 च्या शासनाच्या दरसूचीमध्ये समावेश नसल्याने काही बाबींचे दरपृथक्करण करणे कामी दरपत्रक मनपा वेबसाइटवरून करणेकामी अशा प्रकारच्या काम करणाऱ्या एजेंसी/ठिकेदार यांचेकडून दिनांक 25 /01/2024 ते दिनांक 02/05 /2024 /2024 चे कालावधी कोटेशन द्वारे शिलबंद /दरपत्रक मागविण्यात येत आहे

Sr no	Make	Qty	Unit
Providing Comprehensive annual maintenance of Stage Lighting system of G. Di. Madgulkar Auditorium, Maintaining of system which has been contained following items. Specifications of each items attached herewith.			
100W LED Fresnel Light having COB LED.	Leksa lighting	40	job work for one year
150W High Quality LED Parcan Light	Leksa lighting	24	
200W High Quality LED PC Light	Leksa lighting	21	
200W LED Blinder Light 30 Degree	Leksa lighting	20	
400W LED Blinder Light 30 Degree	Leksa lighting	6	
200W LED Profile Spot 19 Degree Light	Leksa lighting	4	
200W LED Zoom Profile Spot with 15° - 38° Degree beam angle,	Leksa lighting	4	
300W LED RGBAL 18° to 38° Zoom Profile Spot Light	Leksa lighting	4	
200W LED Profile Spot 26 Degree Light	Leksa lighting	4	
RGBW LED Par Light 54 x 3 High bright LED	Leksa lighting	20	
100W LED Fresnel Light having COB LED.	Leksa lighting	10	
150W High Quality LED Parcan Light	Leksa lighting	15	
200W LED Blinder Light 30 Degree	Leksa lighting	20	
200W LED Profile Spot 19 Degree Light	Leksa lighting	2	
RGBW LED Par Light 54 x 3 High bright LED	Leksa lighting	6	
Fixed FOH bar 15 mtr made using dual barrel	Leksa lighting	2	
Motorised winch to be used as 15m Lighting Bar	Leksa lighting	2	
Motorised winch to be used as 12m Lighting Bar	Leksa lighting	11	
Motorised winch to be used as 12m Utility bar Bar	Leksa lighting	5	
MS Side Wing ladder size 600mm x 1400mm	Leksa lighting	6	
MS lighting junction box with 16A CEE socket,	Leksa lighting	78	
MS Junction box 10 way 10A IEC Socket	Leksa lighting	54	
MS sheet metal fabricated DMX junction box	Leksa lighting	20	
MS Direct light distribution board DLDB 4 way	Leksa lighting	3	
MS sheet metal fabricated 120-way power cable termination marshalling box	Leksa lighting	3	
PDCP 400A RM with 20Way MCBP	Leksa lighting	2	
MS Fabricated duly powder coated power junction box mechanism(PJB)	Leksa lighting	31	
Well designed and engineered Wall mount 20 feeder motor control centre panel	Leksa lighting	2	
Well designed and engineered wall mount 10-way wired remote control panel	Leksa lighting	2	
Auxiliary marshalling box 13 way made of fabricated Sheet	Leksa lighting	10	
Auxiliary marshalling box 25 way made of fabricated Sheet	Leksa lighting	5	
Auxiliary marshalling box 8 way made of fabricated	Leksa lighting	6	
MS sheet metal fabricated DMX wall box	Leksa lighting	1	
MS sheet metal fabricated 1-way power junction	Leksa lighting	3	
Diecast aluminium "C" clamp with safety chain.	Leksa lighting	224	
1.5mtr safety bond with lock clip	Leksa lighting	224	
Rack mount 12 channel (12chx4.KW) Dimmer pack	Leksa lighting	6	
Grid mount photo isolator DMX splitter unit 1 DMX input and 8 isolated output	Leksa lighting	3	
Supply, Installation, Testing and Commissioning of Programmable digital lighting console 120 dimmer channel	Leksa lighting	1	
5 pin XLR male / female connectors	Leksa lighting	50	
5 Pin XLR Termination plug	Leksa lighting	22	
Main curtain track system,23 meter long	Leksa lighting	1	
Middle & Rear curtain track system, 15 meter	Leksa lighting	2	
MS, Cyclorama Frame, size 10mtr x 6mtr,	Leksa lighting	1	
MS, Wing Frame, size 1.8mtr x 5.5mtr,	Leksa lighting	4	
Compact wall mount 3 feeder motor control centre panel	Leksa lighting	2	
Fire retardant velvette2fabric with lining 100% gathering for main scallop	Leksa lighting	1	
Fire retardant velvette2fabric with lining, 100% gathering for main curtain	Leksa lighting	1	
Fire retardant cotton2fabric blue for mid & rear curtain,	Leksa lighting	2	
Fire retardant cotton2fabric blue for frills	Leksa lighting	6	


	Leksa lighting	4		
Fire retardant cotton2 fabric blue for wings duly	Leksa lighting	1		
SITC,Cyclorama 2 plastic screen, 12mtr(L) x 5.6mtr(H) with eyelets	Leksa lighting	3		
Main curtain track system 15 mtr long, centre parting	Leksa lighting	20		
MS lighting junction box with 32A CEE	Leksa lighting	25		
MS lighting junction box duly 4Way 10A IEC Socket	Leksa lighting	8		
MS, DMX output junction box	Leksa lighting	1		
MS sheet metal fabricated 46-way power cable termination marshalling box	Leksa lighting	2		
Well designed and engineered rack mount type power distribution centre panel	Leksa lighting	3		
MS Fabricated duly 7 tank metal treatment process	Leksa lighting	1		
MS sheet metal fabricated DMX wall box	Leksa lighting	1		
MS sheet metal fabricated 2-way power junction box	Leksa lighting	8		
Grid mount 4 channel (4 ch X 4KW) Dimmer pack.	Leksa lighting	1		
Grid mount photo isolator DMX splitter unit 1 DMX Input and 8 Isolated output	Leksa lighting	1		
SITC of Programmable Digital lighting console 512 DMX 20 Faders	Leksa lighting	1		
SITCof Fire retardant velvette fabric with lining, 100%(Double) gathering for main curtain	Leksa lighting	1		
SITCof Fire retardant cotton fabric for rear curtain and middle curtain	Leksa lighting	2		
SITCof Fire retardant cotton fabric blue for wings duly stiched and wrapped on both sides of wings.	Leksa lighting	6		
SITC of Fire retardant velvette fabric with lining 400%(4 times of the finished dimension) gathering for main scallop	Leksa lighting	1		
System should maintained for one year from handing over from department with testing in good condition. After completion of period it must be handed over the system to department in good condition.				
Providing Comprehensive annual maintenance of Sound system of G. Di. Madgulkar Auditorium, Maintaining of system which has been contained following items. Specifications of each items attached here with.	Make	Qty	Unit	
Speaker				
Maintenance of FOH Array (L/C/R)- Biamp Multiple array	JBL AM7212	6	job work for one year	
Maintenance of Full Range 2 Way passive Loudspeaker with one 8"LF	JBL AC18/26	5		
Maintenance of Dual 18" passive Subwoofer	JBL ABS6128	2		
Maintenance of Compact 2 way full range surface-mount loudspeakers dual 5" LF	JBL AC25	6		
Maintenance of 2 Way full range Active 80 watts 5" LF speaker	JBL Control 25AV	6		
Maintenance of 2 Way full range Active 5" studio Monitor	JBL 305MKII	2		
Maintenance of Stage Monitor- 1100 Watt 2 Way Loudspeaker	JBL EON 712	4		
Maintenance of Full range two-way passive loudspeaker 10" LF	JBL AC195	4		
Maintenance of Dual 12" Band Pass Subwoofer with 800 Watts	JBL AC115 S	2		
Maintenance of Stage Monitor - 600 Watt 2 Way Full Range Powered Loudspeaker Amplifier	JBL EON610	2		
Maintenance of Amplifier	Crown XTI 1002	2		
Maintenance of Amplifier	Crown XTI 6002	3		
Maintenance of Amplifier	Crown DC12/2400N	5		
Mixer				
Processor				
Processor	Behringer	1		
MIC	Behringer	1		
Maintenance of Wireless handheld microphone Polar Pattern :-Cardiod/Supercardioid	Sennheiser	4		
Maintenance of Wireless Lapel Microphone : SITC of wireless lapl microphone Polar Pattern :- Cardioid/Omnidirectional	Sennheiser	3		
Maintenance of Wireless Lapel Microphone : SITC of wireless Headworn microphone Polar Pattern :- Cardioid/Omnidirectional	Sennheiser	2		
Maintenance of Dynamic microphone (cardioid) for vocals with floor stand	Sennheiser	9		
Maintenance of Dynamic microphone (hypercardioid) for instruments Transducer	Sennheiser	6		
Maintenance of Dynamic clip-on instrument microphone (hypercardioid)	Sennheiser	7		
Maintenance of Gooseneck Microphone : Condenser gooseneck microphohe (cardioid)	Sennheiser	3		
Maintenance of Monitoring headphones • Open diffuse field studio headphone	Sennheiser	4		
System should maintained for one year from handing over from department with testing in good condition. After completion of period it must be handed over the system to department in good condition.				

अटी व शर्ती -

- इच्छुक ठेकेदारांनी उपरोक्त तक्त्यात नमुद केलेल्या साहित्याचे दिलेल्या Specification नुसार सीलबंद कोटेशन मा. कार्यकारी अभियंता (वि), 'अ' क्षेत्रीय कार्यालय, विद्युत विभाग यांचे नावे दि. 25/04/2024 ते 02/05/2024 पर्यंतच ३.०० वाजेपर्यंत विद्युत विभाग, 'अ' क्षेत्रीय कार्यालय, पिंपरी चिंचवड महानगरपालिका, निगडी प्राधिकरण, भेल चौक, निगडी ४११०४४ येथे सादर करावेत. किंवा मा.कार्यकारी अभियंता(वि) n.deshmukh@pcmcindia.gov.in या मेलवर मेल करावेत.
- सीलबंद कोटेशन पाकिटावर कोटेशन नोटीस क्र. कामाचे नांव व फर्म / कंपनीचा नावाचा स्पष्ट उल्लेख करावा
- अटीयुक्त, उशिरा आलेल्या व अपूर्ण कोटेशाचा विचार केला जाणार नाही
- सल्लागार त्याची फर्म अस्तित्वात असलेबाबतचा पुरावा तसेच वरील नमुद पि. चिं. मनपाच्या पॅनेलवरील सल्लागार कॅटेगिरीमध्ये असलेबाबतचा पुरावा मागणी अंती सादर करावा लागेल.
- सदरची कोटेशन नोटीस www.pcmcindia.gov.in या वेबसाइटवर पाहणेस उपलब्ध आहे.

- ६ सदर कामाबाबतच्या अटी व शर्ती मनपाकडील मंजूर expression of Interest प्रमाणे असतील.
- ७ सल्लागार यांना मनपा व शासनाकडील वेळोवेळी लागू केलेले व करण्यात येणाऱ्या GR, परिपत्रके व इ. यानुसार काम करणे बंधनकारक राहिल.
८. Bifurcation of Rate should be given for Material, Installation, Transportation, Insurance and GST should mention Separately .

पिंपरी चिंचवड महानगरपालिका,
'अ' क्षेत्रीय कार्यालय, विद्युतविभाग
निगडी-४११०४४
जा.क्र.- 'अ' क्षे/वि/ कावि/ 300/२०२४
दिनांक :- 25/10/2024


कार्यकारी अभियंता(वि)
पिंपरी चिंचवड महानगरपालिका,
पिंपरी - १८

प्रत : १) ई-गव्हर्नन्स विभाग, वेब साईटवर प्रसिद्धीकामी
२) नोटीस बोर्ड, अ क्षेत्रीय कार्यालय, विद्युत विभाग - प्रसिद्धीकामी